

ULTIM8 GOGGLE

THE ULTIMATE RESISTANCE

The most advanced protection for extreme work environments (cold/hot/dust/humid environments/oil & gas industries, mining...). ULTIM8 goggle offers maximum resistance to fogging thanks to PLATINUM® coating.

 PLATINUM®




ULTIPSISO



ULTIPFSO






53 g

- + SEALED TPR FOAM**
- + ADJUSTABLE STRAP**
- +  PLATINUM® (+P) COATING**
- + SPLASH, GAS AND DUST APPROVED**


bollé
SAFETY

ULTIM8 GOGGLE

THE ULTIMATE RESISTANCE

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
ULTIM8 GOGGLE	 Clear	ULTIPSISO	CDGIO	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/ 
	 Smoke	ULTIPFSO	CDGI3	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/ 

LENS MARKING

-  Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m²) and to the most aggressive chemicals and delays the onset of fogging for two minutes, as per the testing requirements of EN166.
- C.** The letter 'C' signifies that the product has been tested and approved for use against splashes and is appropriate for chemical handling.
- D.** The letter 'D' signifies appropriate for protection against dust.
- G.** The letter 'G' signifies that the product has been approved for use against gas and fine dust particles.
- I.** The letter 'I' signifies 'Medium Impact' approval.
- O.** The letter 'O' signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear lenses.

Ocular lens category:

- O.** Range of luminous transmittance 80–100% (Clear).
- 3.** Range of luminous transmittance 8 - 18% (Smoke).

TECHNOLOGIES

PLATINUM

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and effectively delays the appearance of fogging.

PACKAGING AND GTIN		
	ULTIPSISO	ULTIPFSO
Individual plastic bag	9318330041763	9318330048069
10 safety goggles per inner box	(01)19318330041760	(01)19318330048066
120 safety goggles per outer pack	(01)29318330041767	(01)29318330048063

LENSES

- 2mm polycarbonate
- Platinum coating on both sides of the lens
- 99.9% UV 385 – Clear
- 99.9% UV 400 - Smoke

FRAME MARKING

AS/NZS 1337.1.2010: Tested and approved to AS/NZS 1337.1.2010 – Medium Impact protection. Meets the requirement of splash approval when used with the supplied head strap correctly adjusted.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

CHARACTERISTICS	
LENSES	PC – 2,2 mm – Curve 8
STRAP	15mm adjustable – Polyester
FOAM	TPR

23/08/2019

ASIA/PACIFIC HEADQUARTERS:

Bollé Safety AU Pty Limited
32–40 Fairchild Street
Heatherton VIC 3202
T: 1300 138 098
E: sales@bollesafety.com.au

bollesafety.com.au

NEW ZEALAND:

T.: 0800 2655 369
E: sales@bollesafety.com.au

bolle
SAFETY